

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	1	"6496928".pn. and "message specific data"	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/26 10:54
S3	49	shar\$3 with sign\$4 adj key and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/26 10:58
S4	3	shar\$3 with sign\$4 adj key same encrypt\$3 and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/30 19:05
S6	1998	input with output with encrypt\$3	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/26 12:39
S7	108	input with output with encrypt\$3 with generator	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/26 12:39
S8	20	input with output with encrypt\$3 with generator with sequenc\$3	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/26 12:39
S9	2887	((generat\$3 creat\$3) near5 key near4 (number seed)) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/30 19:06
S10	1	((generat\$3 creat\$3) near5 key near4 (number seed) same three adj3 (parties computers nodes)) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/30 19:13
S11	529	((generat\$3 creat\$3) near5 key near4 (number seed)) same ((send\$3 provid\$3 receiv\$3) with (seed number) with key) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/30 19:14
S12	74	((generat\$3 creat\$3) near5 key near4 (seed)) same ((send\$3 provid\$3 receiv\$3) with (seed number) with key) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/30 19:14

S13	82	((generat\$3 creat\$3) near5 key near4 (seed)) same ((send\$3 provid\$3 receiv\$3) with (seed) with key) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 19:43
S14	5	(shar\$ with (master main)with key) and((generat\$3 creat\$3) near5 key near4 (seed)) same ((send\$3 provid\$3 receiv\$3) with (seed) with key) and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/31 09:53
S15	70	((generat\$3 creat\$3) near5 key near4 (seed)) same ((send\$3 provid\$3 receiv\$3) with (seed) with key) and (@ad<"20000430" or @rlad<"20000430" or @prad<"20000430")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/31 09:50
S16	43	hash\$4 and 380/281.ccls. and (@ad<"19991221" or @rlad<"19991221" or @prad<"19991221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/31 14:26
S17	974	(session adj key ephemeral) and ((send\$3 receiv\$3) near4 key) and (@ad<"19991221" or @rlad<"19991221" or @prad<"19991221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/31 14:28
S18	255	hash\$3 and (session adj key ephemeral) same ((send\$3 receiv\$3) near4 key) and (@ad<"19991221" or @rlad<"19991221" or @prad<"19991221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/31 14:31
S19	52	hash\$3 and (session adj key ephemeral) same ((provid\$3 send\$3 receiv\$3) near4 (key and (number seed))) and (@ad<"19991221" or @rlad<"19991221" or @prad<"19991221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/31 14:36
S20	7389	((provid\$3 send\$3 receiv\$3) near4 (key and (number seed))) and (@ad<"19991221" or @rlad<"19991221" or @prad<"19991221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/31 14:37

S21	888	hash\$3 and ((provid\$3 send\$3 receiv\$3) near4 (key and (number seed))) and (@ad<"19991221" or @rlad<"19991221" or @prad<"19991221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/31 14:37
S22	865	hash\$3 and ((provid\$3 send\$3 receiv\$3) near4 (key and (number))) and (@ad<"19991221" or @rlad<"19991221" or @prad<"19991221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/31 14:38
S23	614	hash\$3 and ((provid\$3 send\$3 receiv\$3) near4 (key and (seed number))) and (@ad<"19991221" or @rlad<"19991221" or @prad<"19991221") and ("709"/\$.ccls. "713"/\$.ccls. "380"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/31 14:39
S24	511	hash\$3 and ((provid\$3 send\$3 receiv\$3) near3 (key and (seed number))) and (@ad<"19991221" or @rlad<"19991221" or @prad<"19991221") and ("709"/\$.ccls. "713"/\$.ccls. "380"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/31 14:40
S25	421	(authenticat\$3 MAC HMAC) and hash\$3 and ((provid\$3 send\$3 receiv\$3) near3 (key and (seed number))) and (@ad<"19991221" or @rlad<"19991221" or @prad<"19991221") and ("709"/\$.ccls. "713"/\$.ccls. "380"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/31 14:40
S26	410	(authenticat\$3 HMAC) and hash\$3 and ((provid\$3 send\$3 receiv\$3) near3 (key and (seed number))) and (@ad<"19991221" or @rlad<"19991221" or @prad<"19991221") and ("709"/\$.ccls. "713"/\$.ccls. "380"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/31 14:41
S27	364	(authenticat\$3 HMAC) and hash\$3 and ((provid\$3 send\$3 receiv\$3) with (key with (seed number))) and (@ad<"19991221" or @rlad<"19991221" or @prad<"19991221") and ("709"/\$.ccls. "713"/\$.ccls. "380"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/31 14:43
S28	22	(authenticat\$3 HMAC) and hash\$3 and ((provid\$3 send\$3 receiv\$3) with (key with (seed number))) and (@ad<"19991221" or @rlad<"19991221" or @prad<"19991221") and ("709"/\$.ccls. "713"/\$.ccls. "380"/\$.ccls.) not public	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/31 14:48

S29	1	(authenticat\$3 HMAC) and hash\$3 and ((provid\$3 send\$3 receiv\$3) with (key with (sequence adj number\$1))) and (@ad<"19991221" or @rlad<"19991221" or @prad<"19991221") and ("709"/\$.ccls. "713"/\$.ccls. "380"/\$.ccls.) not public	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/31 14:49
S30	14	((provid\$3 send\$3 receiv\$3) with (key with (sequence adj number\$1))) and (@ad<"19991221" or @rlad<"19991221" or @prad<"19991221") and ("709"/\$.ccls. "713"/\$.ccls. "380"/\$.ccls.) not public	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/31 15:17
S31	12	((provid\$3 send\$3 receiv\$3) with (key with (sequence adj number\$1))) and ("709"/\$.ccls. "713"/\$.ccls. "380"/\$.ccls.) not (public S30)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/31 15:00
S32	814	((provid\$3 send\$3 receiv\$3) with (key with number)) and ("709"/\$.ccls. "713"/\$.ccls. "380"/\$.ccls.) not (public S30)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/31 15:01
S33	814	((provid\$3 send\$3 receiv\$3) with (key with number)) and ("709"/\$.ccls. "713"/\$.ccls. "380"/\$.ccls.) not (public S30)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/31 15:02
S34	119	((provid\$3 send\$3 receiv\$3) with (key with number)).ab. and ("709"/\$.ccls. "713"/\$.ccls. "380"/\$.ccls.) not (public S30)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/31 15:03
S35	36	((sends send receive receives) with (key with number)).ab. and ("709"/\$.ccls. "713"/\$.ccls. "380"/\$.ccls.) not (public S30)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/31 15:03

S36	0	HMAC and random and ((provid\$3 send\$3 receiv\$3) with (seed)) and (@ad<"19991221" or @rlad<"19991221" or @prad<"19991221") and ("709"/\$.ccls. "713"/\$.ccls. "380"/\$.ccls.) not public	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/31 15:17
S37	128	random and ((provid\$3 send\$3 receiv\$3) with (seed)) and (@ad<"19991221" or @rlad<"19991221" or @prad<"19991221") and ("709"/\$.ccls. "713"/\$.ccls. "380"/\$.ccls.) not public	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/31 15:18
S39	78	random same((provid\$3 send\$3 receiv\$3) with (seed)) and (@ad<"19991221" or @rlad<"19991221" or @prad<"19991221") and ("709"/\$.ccls. "713"/\$.ccls. "380"/\$.ccls.) not public	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/31 15:20
S40	17	random same((provid\$3 send\$3 receiv\$3) with (seed)) and (@ad<"19991221" or @rlad<"19991221" or @prad<"19991221") and 380/260, 273,277,278,279,281,284,281.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 10:55
S41	3	pseudo adj1 random same((provid\$3 send\$3 receiv\$3) with (seed)) and (@ad<"19991221" or @rlad<"19991221" or @prad<"19991221") and 380/260, 273,277,278,279,281,284,281.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 11:47
S42	0	pseudo adj1 random same((provid\$3 send\$3 receiv\$3) with (seed))same (hash\$3 same key) and (@ad<"19991221" or @rlad<"19991221" or @prad<"19991221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 10:57
S43	3	pseudo adj1 random same((provid\$3 send\$3 receiv\$3) same (seed))same (hash\$3 same key) and (@ad<"19991221" or @rlad<"19991221" or @prad<"19991221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 10:57
S44	3	pseudo adj1 random same((provid\$3 send\$3 receiv\$3) same (seed))same (hash\$3 same key) and (@ad<"19991221" or @rlad<"19991221" or @prad<"19991221") not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 11:00

S45	11	((provid\$3 send\$3 receiv\$3) with (seed))same (hash\$3 same key) and (@ad<"19991221" or @rlad<"19991221" or @prad<"19991221") not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 11:00
S47	26	(exchang\$3 with seed) same key and (@ad<"19991221" or @rlad<"19991221" or @prad<"19991221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 11:03
S48	223	((provid\$3 send\$3 receiv\$3) with seed) same key and (@ad<"19991221" or @rlad<"19991221" or @prad<"19991221") not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 11:07
S49	20	pseudo adj1 random same (key\$1 with seed) and (@ad<"19991221" or @rlad<"19991221" or @prad<"19991221") and 380/260, 273,277,278,279,281,284,281.ccis.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 11:48
S50	70901	(hoffmann)".in. and" signature	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/05 19:27
S51	14	(hoffmann).in. and signature	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/05 20:06
S52	10	(hoffmann).in. and signature and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/05 19:30
S53	1	(process with detecting with sent with transmitter with receiver).ti. and (@ad<"20001221" or @rlad<"20001221" or @prad<"20001221")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/05 19:35
S54	0	(hoffman and lukas and lechner).in.	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/05 19:37
S55	3	gornott	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/05 19:37
S57	2	((transmitter with receiver) same signature same verification).ab.	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/05 19:39

S59	27957	(signature) and (@ad<"19981221" or @rlad<"19981221" or @prad<"19981221") not S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:59
S60	1451	(signature)same encrypt\$3 and (@ad<"19961221" or @rlad<"19961221" or @prad<"19961221") not S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 20:21
S61	1021	(signature)same encrypt\$3 and (@ad<"19951221" or @rlad<"19951221" or @prad<"19951221") not S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 20:22
S62	204	random same(signature)same encrypt\$3 and (@ad<"19951221" or @rlad<"19951221" or @prad<"19951221") not S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:00
S67	709	(track\$3 list) near4 used with numbers and (@ad<"19981221" or @rlad<"19981221" or @prad<"19981221") not S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:59
S69	46	keep\$3 adj(track\$3) near4 used with numbers and (@ad<"19981221" or @rlad<"19981221" or @prad<"19981221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 22:00
S70	0	keep\$3 adj(track\$3) near4 used with numbers same attack\$1 and (@ad<"19981221" or @rlad<"19981221" or @prad<"19981221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 22:00
S71	0	keep\$3 adj(track\$3) near4 used with numbers same replay and (@ad<"19981221" or @rlad<"19981221" or @prad<"19981221")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 22:00